

帶給您每一天安全、潔淨的地面環境
Bring the Safe & Clean Floors to you everyday.

www.rismat.net
RS201703



麗施美官網 麗施美購物 麗施美微信

地址：上海市長寧區長寧路3333號6樓
服務專線：☎ 4008-219-319 / 86-21-31261933

nann

地面污染控制系統

Floor Pollution Control Matting System

SUCCESS PORTFOLIOSUCCESS PORTFOLIOSUCCESS PORTFOLIOS

目錄 DIRECTORY

- 1/ 地面污染控制系統 Floor Pollution Control Matting System
- 3/ 公司介紹 Company Introduction
- 4-5/ 合作客戶(部分) Customer List
- 6-7/ 99系列-拼裝式除塵/拼裝式刮沙汲水地墊
Flexi Guard 99 Dirt Scraper Tile Mat/Two in One Tile Mat
- 8-9/ 維豪/維豪特-拼裝式刮沙汲水墊 Walk off/Walk off Plus
- 10-11/ 首維-拼裝式強力刮沙防滑地墊 First Guard
- 12-13/ 麗雅潔-強力刮沙除塵地墊 Cero Plus
- 14-15/ 麗雅-強力吸水除塵地墊 Cero Mat
- 16-17/ 安潔美-刮沙吸水除塵地墊 Armor Plus
- 18-19/ 安亮美-刮沙吸水除塵地墊 Armor Easy
- 20-21/ 瑞普/豹美-超強刮沙汲水墊 Ripple Xtra/Jaguar Xtra
- 22-23/ 雅致-強力刮沙除塵地墊 Atrium Plus
- 24-25/ 雅瑞-強力刮沙除塵地墊 Ares Mat
- 26-27/ 雅典/汲水除塵尼龍墊 Athens Mat
- 28-29/ 品牌廣告墊 Logo Mat
- 30-31/ 豪華貴賓地墊 Luxor VIP Mat
- 32-33/ 神奇墊-強力汲水汲油地墊 Magic Mat
- 34-35/ II代神奇墊-特效吸水除塵地墊 Action Mat
- 36-37/ II代神奇墊-特效刮沙汲水除塵地墊 Action Mat Plus
- 38-39/ 無邊神奇墊 Magic Mat (home)
- 40-41/ 雅福-刮沙除塵地墊 Ole Plus
- 42-43/ 4000型/通用型條紋地墊 M 4000
- 44-45/ 3000型-除塵防滑地墊 Rib Mat 3000
- 46-47/ 奇潔-強力汲水汲油地墊 Clean Best Mat
- 48-49/ 超潔-汲水汲油地墊 Clean Step Mat
- 50-51/ 紓紓墊-抗菌除味汲水墊 Urinal Mat
- 52-53/ 康福-抗菌阻燃防滑地墊 Comfort Tile
- 54-55/ 康安-抗菌阻燃防滑地墊 Comsan Tile
- 56-57/ 特耐-耐重油橡膠防滑墊 Hex Guard
- 58-59/ 1/4" 橡膠防滑墊(密底) Slip Guard
- 60-61/ 特豪-橡膠防滑墊 Slip Guard
- 62-63/ 抗疲勞墊 Anti-Fatigue Rubber Mat
- 64-65/ 毯面抗疲勞墊 Anti-Fatigue Rubber Mat
- 66-67/ 抗震墊 Anti-Shock Mat



地面污染控制系統

80%的污染物由行人帶入建築物內的,其中地面污染是最為嚴重的。對於硬地面每1500個行人鞋底的泥沙可造成地板表面42%的損傷;95%的地毯問題也是由于泥沙、污染物所造成的。

地面污染控制系統能有效防止行人將腳底的泥沙、污染物帶入建築物內,減少大量的人力資源、水資源的浪費以及大量使用化學藥劑對河流、海洋的污染。地面污染控制系統不但有利於我們的環境保護,而且幫助您節省開支、增加收益,您可將節省的資金用於重新安排資源、人力、物力的配置或您感興趣的重要的事情上。

Floor Pollution Control Matting System

Up to 80% of dirt in commercial and building place is carried in by pedestrian traffic. Floorings are the most abused element in any facility. On hard floors abrasive dirt particles scrape and damage the surface. The foot traffic of 1,500 people can remove 42% of the floor's finish, and 95% of all carpet appearance problems are caused by soil and traffic patterns. Rismat has developed a new range of products, offering a complete solution to all flooring problems.

Rismat's Floor Pollution Control Matting System is a designed to prevent dirt and dust from entering our premises by uncontrolled foot traffic. Instead of cleaning up foot traffic messes by using more staff, using up more water resources, and dumping more chemicals into our rivers and oceans, by adapting our method, you can greatly help the environment and at the same time achieve considerable cost savings while increasing profitability. With the Floor Pollution Control System, you can reduce labor and material resources.



公司介紹 Company Introduction

1993年成立于香港，1994年進入中國大陸。
是專業從事地面污染控制系統的設計、安裝、施工的環保公司。
致力於推動環境保護的保潔資源重新分配新概念。

RISMAT, an eco-matting solution company was established in 1993 in Hong Kong and entered into Shanghai, China in 1994.

首創地墊行業兩大新概念 —— 地面污染控制系統 & 職業健康與安全系統。

We have developed the two new concepts for the floor pollution control system and the occupational health & safety system for the past two decades.

2011年初在中國上海投資設立制造中心，并先後在加拿大、香港、上海等地成立研發、生產、銷售、諮詢服務中心。

Since then, Rismat has grown beyond this region and expanded into the North America and Asia markets.

主要服務對象包括：四/五星級酒店、物業大廈、醫院、工廠、公共設施、家庭別墅公寓、海外客戶等。
Our eco-matting products can be used at a variety of floor conditions such as high-end hotels, commercial & residential properties, factories, schools, hospitals & research labs and other public areas.

主管產品包括：

定制logo墊、神奇吸水吸油墊、浴室墊、刮沙除塵墊、豪華貴賓墊、抗疲勞耐油橡膠墊、抗菌阻燃防滑墊等60多個品種的專業地墊。

From commercial high-end advertising/logo mats, industrial heavy-duty mats, to automobile trendy mats, and to residential/home green eco-mats.



國際質量ISO9001認證



ISO14000環境體系認證



美國國際清潔衛生協會會員



北美地面安全協會認證

帶給您每一天安全、潔淨的地面環境
Bring the Safe & Clean Floors to you everyday.

酒店客户名錄
Customer List (Hotel)



The listed above in a random order
以上排名不分先後

物業客户名錄
Customer List (Property)



The listed above in a random order
以上排名不分先後

99系列 超豪華型-拼裝式除塵/刮沙汲水墊 Flexi Guard 99

9900、9901、9903是理想的地墊組合，可以避免85%的塵土被帶入室內。產品具有良好的疏水藏污功能，獨特的刮刀設計可有效去除鞋底的污垢。它的優勢在於可隨意自由組合，安裝簡便，輕巧舒適的設計是您進出口、大堂、通道的理想選擇。9903地墊有多種顏色可供挑選。

9900, 9901 & 9903 provide an innovative combination of a revolutionary matting system which prevents up to 85% of walked-in dust and grit. The special surface scraper and brush textile removes coarse dirt effectively from shoe soles. The unique design provides excellent drainage and dirt control functions. The ability to create different design combinations enhances your unique look yet is easy to install. 9901 and 9903 are available in many brush textile colors.

技術參數

TECHNICAL SPECIFICATIONS

9901/9903

絨面材質：防靜電尼龍6.6
絨面結構：高強度扭曲并熱壓成形的合成纖維
9903重量：約10kg/平方米
9903厚度：約16mm
9901重量：約10kg/平方米
9901厚度：約16mm

Yarn type : Antistatic polyamide 6.6
Pile construction : High twist and heat set-tufted cut pile
9903 tile weight : Approx.10kg/m²
9903 tile thickness : Approx.16mm
9901 tile weight : Approx.10kg/m²
9901 tile thickness : Approx.16mm

9900

材 質：抗紫外綫PVC
9900重量：約8.8kg/平方米
9900厚度：約16mm


Material : UV resistant PVC
9900 tile weight : Approx.8.8kg/m²
9900 tile thickness : Approx.16mm

模塊尺寸：20cm x 20cm 實用尺寸：19.25cm x 19.25cm
阻燃標準：
GB 8624-2012, GB/T 11785-2005, GB/T 8626-2007, B1級


Tile size : 20cm x 20cm Size in use : 19.25cm x 19.25cm
Fire resistance :
GB 8624-2012, GB/T 11785-2005, GB/T 8626-2007, B1



底部
顏色 MK990001 MK990002 MK990003
● 黑色 ● 銀色 ● 金色



毯面
顏色 TPJX10 TPJX20 TPJX30 TPJX50 TPJX60 TPJX70
● 黑灰 ● 紅色 ● 棕色 ● 藍色 ● 綠色 ● 淺灰



Edging System for 9900/9901/9903
連接齒、專用直綫邊

適合鋪設區域：門廳進出口、通道、大門外
Suitable for laying areas : Hallway, Aisle, Outside



1/ 雲南海埂別墅-門外走廊
2/ 雲南海埂別墅-門外
3/ 融科諮詢中心-門廳進出口
4/ 由喜來登酒店-門口

維豪/維豪特-拼裝式刮沙汲水墊 Walk Off / Walk Off Plus

Walk Off/Walk Off Plus是一款安裝及維護非常方便的拼裝式地墊，其模塊和毯面可單獨更換。PVC底座自帶重量，防止移位，防水防滑，抗紫外綫，並且具有超强的刮沙汲水功效。將其鋪設的建築物大門外或防風門內，能隔離鞋底和地面，去除鞋底60%-70%的污染物，室內搭配Rismat毯面型地墊使用，去污效果可達85%-95%。建議鋪設距離≥6米，可使地墊發揮最佳除污功效。

“Walk Off & Walk Off Plus” is a modular multi-function matting product which is easy to be installed and maintained, the PVC module and felt can be replaced separately. It is anti-slip, hydrophobic UV resistance and also provides excellent drainage and dirt control functions. It can be installed in front of the gate or storm door which prevent up to 60%-70% walked-in dust and grit. 85%-95% walk in dirt could be removed while it be used together with Rismat secondary matting system products.

技術參數

毯面纖維：尼龍6.6纖維/特種丙綸硬絲

絨面結構：高强度扭曲并熱壓成形的合成纖維

底 座：抗紫外綫PVC

模塊重量：約8kg/平方米（維豪）

厚 度：約12mm（維豪）

模塊重量：約9.25kg/平方米（維豪特）

厚 度：約16mm（維豪特）

模塊規格：20cm x 20cm

實用規格：19.5cm x 19.5cm

適用溫度：-30°C至50°C

阻燃標準：

GB 8624-2012,GB/T 11785-2005,GB/T 8626-2007, B1級

TECHNICAL SPECIFICATIONS

Yarn type : Polyamide 6.6 monofilaments & Special polypropylene monofilament

Pile construction : High twist and heat set-tufted cut pile

Backing : UV resistant PVC

Tile weight : Approx.8kg/m² (Walk Off)

Thickness : Approx.12mm (Walk Off)

Tile weight : Approx.9.25kg/m² (Walk Off Plus)

Thickness : Approx.16mm (Walk Off Plus)


Tile size : 20cm x 20cm

Size in use : 19.25cm x 19.25cm

Temp resistance : -30°C up to +50°C


Fire resistance :

GB 8624-2012,GB/T 11785-2005,GB/T 8626-2007,B1



MKWF0110	MKWF0120	MKWF0140
MKWF0110	MKWF0120	MKWF0140
● 黑灰	● 黑紅	● 全硬絲

適合鋪設區域：走廊通道、露臺、大門外
Suitable for laying areas : Corridor, Open-air balcony, Outside



1/ 揚州迎賓館-大門口

2/ 西安溫德姆至尊酒店-門外

3/ 廣州番禺蓮花山粵海度假酒店-走廊通道

4/ 富陽東方茂-大門口



1/ 上海质子重离子医院-走廊
2/ 雲南海埂別墅-露臺
3/ 仁濟東院行政樓-門廳
4/ 雲南海埂別墅-門外

首維-拼裝式刮砂隔離防滑墊 First Guard

“首維”是一種多用途的拼裝式地墊，直立的彈性“刮刀+刷子”具有良好的排水性、防滑性并能有效的去除沙石，可配合邊條（或延邊）用于商業樓宇戶外或嵌入地墊坑位內。亦可用于操作區或淋浴區作抗疲勞墊、防滑墊使用。

First Guard is a flexible, modular multi-purpose flooring product, installed as a primary outdoor matting, fitted into mat wells, or applied to a variety of industrial and commercial tasks. The overlapping heel-safe parallel circle design of First Guard incorporates resilient scrapers, is extremely durable, and highly effective at trapping dirt and water and promotes seamless drainage. First Guard can also be surface mounted by using our edging system.

技術參數


材 質：抗紫外綫PVC
重 量：約4.5kg/平方米
厚 度：約9mm
適用溫度：-30℃至50℃
模塊尺寸：20cm x 20cm
實用尺寸：19.25cm x 19.25cm
阻燃標準：
GB 8624-2012,GB/T 11785-2005,GB/T 8626-2007, B1級

TECHNICAL SPECIFICATIONS

Material : UV resistant PVC
Weight : Approx.4.5kg/m²
Thickness : Approx.9mm
Temp resistance : -30°C up to +50°C
Tile size : 20cm x 20cm
Size in use : 19.25cm x 19.25cm
Fire resistance :
GB 8624-2012,GB/T 11785-2005,GB/T 8626-2007,B1



MKFG01 ● 黑色 MKFG02 ● 銀色 MKFG04 ● 紅色



拼裝特點：子母活扣式拼裝，安裝簡便
安全結構：防鞋跟陷入設計

適合鋪設區域：門廳、露天走廊、露臺、茶水間、大門外
Suitable for laying areas : Hallway, Open-air corridor, Open-air balcony,
Tea room, Outside the gate



1/ 清遠獅子湖喜來登-門外
2/ 杭州養老院-門口
3/ 北京財富中心-門廳
4/ 杭州湘湖驛站酒店-門外

麗雅潔-強力刮沙除塵墊 Cero Plus

麗雅潔是由強力刮沙的單纖維和強力吸水的纖維交替而成的高效地墊，適合出進門使用；為沒有地墊坑位的物業大樓提供方便，卷裝尺寸長度在18米，可將地墊滿鋪在地面上，可根據要求任意安放、安裝。麗雅和麗雅潔是理想的地墊組合，兩款配合使用可加強除污、吸水效果。


Cero Plus together with Cero is the perfect entrance matting combination for buildings where there is not mat well, offering maximum flexibility in fitting solutions. Cero Plus, with its alternative rows of heavy-duty brushing. Monofilaments and absorbing fibers is a unique and highly efficient product for use as a primary matting. As a secondary matting, Cero is the ideal complement to Cero Plus thanks to its functionality in absorbing dirt and moisture. Cero and Cero Plus are manufactured in 18 meter long rolls, offering the option between wall to wall fitting or loose-laid on the floor.

技術參數

毯面纖維：尼龍6.6纖維及尼龍6多纖維
絨面結構：高強度扭曲熱壓成型的合成纖維大面積植絨
底部：彈性底
總厚度：約10mm
總重量：約4.20kg/平方米
卷裝規格：200cm x 1800cm
室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type : Polyamide 6.6 monofilaments&PA6 multifilaments
Pile construction : Tufted cut pile in stripes
Backing : Compound rubber
Total thickness : Approx.10mm
Total weight : Approx.4.20kg/m²
Roll size : 200cm x 1800cm
Indoor air quality testing : Conform to GB 18401-2010 ,
Doesn't contain formaldehyde and decomposable carcinogenic aromatic amine dyes



TPCP10 ● 黑灰 TPCP20 ● 紅灰 TPCP30 ● 棕灰 TPCP40 ● 藍灰

適合鋪設區域：門外、通道、大堂
Suitable for laying areas : Outside, Aisle, Lobby



1/ 半島精品廊-門廳
2/ 北京麗思卡爾頓-門外
3/ 大上海時代廣場-電梯內
4/ 三亞麗思卡爾頓-大堂

麗雅-強力吸水除塵墊 Cero Mat

麗雅全面升級，特殊吸水纖維能更有效地將灰塵和水漬吸附在地墊上，控制污染物轉移室內。適合出進門使用，為沒有地墊坑位的物業大樓提供方便，卷裝尺寸長度在18米，可將地墊滿鋪在地面上，也可根據要求任意安放、安裝便捷。麗雅和麗雅潔兩款配合使用可加強除污、吸水效果，阻擋80%左右的污染物進入建築物內。

Cero is the perfect entrance matting combination for buildings where there is not mat well, offering maximum flexibility in fitting solutions.


As a secondary matting, Cero is the ideal complement to Cero Plus thanks to its functionality in absorbing dirt and moisture. Cero and Cero Plus are manufactured in 18 meter long rolls, offering the option between wall to wall fitting or loose-laid on the floor.

技術參數

毯面纖維：尼龍6
絨面結構：高強度扭曲熱壓成型的合成纖維
底部：彈性底
總厚度：約10mm
總重量：約3.30kg/平方米
卷裝規格：200cm x 1800cm
室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料



TECHNICAL SPECIFICATIONS

Yarn type : Polyamide 6
Pile construction : High twist and heat set-tufted cut pile
Backing : Compound rubber
Total thickness : Approx.10mm
Total weight : Approx.3.30kg/m²
Roll size : 200cm x 1800cm
Indoor air quality testing : Conform to GB 18401-2010 ,
Doesn't contain formaldehyde and decomposable carcinogenic aromatic amine dyes



TPCR10 TPCR20 TPCR30 TPCR40 TPCR50 TPCR60
● 黑 ● 紅 ● 棕 ● 灰 ● 藍 ● 綠

適合鋪設區域：門廳、通道、電梯、大堂
Suitable for laying areas : Hallway, Aisle, Elevator, Lobby



1/ 海光大廈-門外
2/ 家東苑-門內
3/ 上海地產集團大廈-電梯口
4/ 上海地產集團大廈-通道
5/ 國際航運金融大廈-防風門內

安潔美-刮沙汲水除塵墊 Armor Plus

Armor系列地墊，主要為中高人流區域而設計的創新地墊系統，最適合大廈主要出入口處使用。能有效阻止塵埃和泥土進入大廈，經久耐用。安潔美的專業化設計，使其在實際應用中，將功效與美觀集一體，通過減少地面污染直接降低清潔成本，并能維持大廈內地面的整潔，平民化的價格以及簡便的保養方法，適用於任何場所的出入口處，是一款經濟實用的地墊。

Armor series, is an innovative matting system designed to withstand medium to heavy human traffic at main entrances. They is highly durable and sturdy in trapping dirt and soil from entering the premises. Armor Plus is engineered and designed by industry professionals. The scrapping function and aesthetics are both important features of the Armor series application. They is economic yet effective mats that reduce floor pollution which directly reduces cleaning costs, and as well as protecting the floor's surfaces in the premises. Viking's Armor series are easy and inexpensive mats to maintain through dry vacuuming.

技術參數

毯面纖維：合成纖維及單纖維
絨面結構：高強度扭曲熱壓成型的合成纖維
底 部：彈性底
纖維高度：約8mm
卷裝規格：200cm x 1800cm
室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料


TECHNICAL SPECIFICATIONS

Yarn type : Synthetic fiber&Single fiber
Pile construction : High twist and heat set-tufted cut pile
Backing : Compound rubber
Pile height : Approx.8mm
Roll size : 200cm x 1800cm
Indoor air quality testing : Conform to GB 18401-2010 ,
Doesn't contain formaldehyde and decomposable
carcinogenic aromatic amine dyes



TPAP10 ● 黑灰 TPAP20 ● 黑紅 TPAP30 ● 黑棕 TPAP50 ● 黑藍

適合鋪設區域：門廳、通道、大堂、電梯
Suitable for laying areas : Hallway, Aisle, Lobby, Elevator



1/ 上海陸家嘴投資大廈-休息區
2/ 上海陸家嘴投資大廈-通道
3/ 上海陸家嘴投資大廈-通道
4/ 源深體育中心-電梯內
5/ 廣州銀一百創新鋁業有限公司-電梯口

安亮美-刮沙汲水除塵墊 Armor Easy

Armor系列地墊，主要為中高人流區域而設計的創新地墊系統，最適合大廈主要出入口處使用。能有效阻止塵埃和泥土進入大廈，經久耐用。安潔美的專業化設計，使其在實際應用中，將功效與美觀集一體，通過減少地面污染直接降低清潔成本，并能維持大廈內地面的整潔，平民化的價格以及簡便的保養方法，適用於任何場所的出入口處，是一款經濟實用的地墊。

Armor series, is an innovative matting system designed to withstand medium to heavy human traffic at main entrances. They is highly durable and sturdy in trapping dirt and soil from entering the premises. Armor Easy is engineered and designed by industry professionals. The scrapping function and aesthetics are both important features of the Armor series application. They is economic yet effective mats that reduce floor pollution which directly reduces cleaning costs, and as well as protecting the floor's surfaces in the premises. Viking's Armor series are easy and inexpensive mats to maintain through dry vacuuming.

技術參數

毯面纖維：合成纖維
絨面結構：高強度扭曲熱壓成型的合成纖維
底部：彈性底
纖維高度：約8mm
卷裝規格：200cm x 1800cm
室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type : Synthetic fiber
Pile construction : High twist and heat set-tufted cut pile
Backing : Compound rubber
Pile height : Approx.8mm
Roll size : 200cm x 1800cm
Indoor air quality testing : Conform to GB 18401-2010 ,
Doesn't contain formaldehyde and decomposable
carcinogenic aromatic amine dyes



TPAE10 黑灰
TPAE20 黑紅
TPAE30 黑棕
TPAE50 黑藍

適合鋪設區域：門廳、通道、大堂、電梯
Suitable for laying areas : Hallway, Aisle, Lobby, Elevator



瑞普/豹美-超强刮沙汲水垫 Ripple Xtra/Jaguar Xtra

Ripple Xtra/Jaguar Xtra 瑞普/豹美, 毯面由100%特种尼龍复合纖維組成, 能強力吸附鞋底污垢, 采用Ristron™ 染色工藝, 具有一定的抗紫外線功效, 可鋪設在室外, 不易褪色。彈性底能有效減少滑倒事故發生。超强刮沙汲水墊能避免鞋底直接接觸地面, 減少地材磨損, 適合放置于客流量大的區域, 如酒店、商場、大廈、醫院、工廠、辦公室、別墅公寓門口。

Ripple Xtra/Jaguar Xtra. The mat surface is made up of 100% special composite Nylon fibers, can strongly absorb any dirt from the sole. Dyeing by "Ristron™" craft, There are not faded easily which are also good for exterior areas. The compound backing is non-skid, which helps avoiding slippery accidents. By using of Ripple Xtra/Jaguar Xtra, it can reduce the wearing of ground materials. Suits on medium to high traffic areas like hotels, shopping malls, business buildings, hospitals, factories, offices, villas and apartments.

技術參數

毯面纖維: 特种尼龍复合纖維

纖維結構: 簇絨

底部: 彈性底

毯面重量: 約1.175kg/每平米

卷裝規格: 200cm x 1800cm

室內空氣質量檢測: 符合GB 18401-2010,

不含甲醛及可分解致癆芳香胺染料

色牢度檢測: 按GB/T 3921-2008,GB/T 3920-2008, GB/T 8427-2008檢測依據, 耐光照色牢度: 大于6級; 耐洗色牢度: 4-5級; 耐磨擦色牢度: 4-5級

TECHNICAL SPECIFICATIONS

Yarn type : Special nylon composite fiber

Pile construction : Tufted cut pile

Backing : Compound rubber

Pile weight : Approx.1.175kg/m²


Roll size : 200cm x 1800cm

Indoor air quality testing : Conform to GB 18401-2010 ,


Doesn't contain formaldehyde and decomposable carcinogenic aromatic amine dyes

Color fastness test : GB/T 3921-2008,GB/T 3920-2008, GB/T 8427-2008 , Light fastness : Greater than 6 grade ;

Fastness to washing : 4-5grade ; Friction fastness : 4-5grade



豹美 TPJX10 ● 黑灰 TPJX20 ● 紅色 TPJX30 ● 棕色 TPJX50 ● 藍色 TPJX60 ● 綠色 TPJX70 ● 淺灰



瑞普 TPRX10 ● 黑灰 TPRX20 ● 紅色 TPRX30 ● 棕色 TPRX50 ● 藍色 TPRX60 ● 綠色 TPRX70 ● 淺灰

適合鋪設區域: 門廳、通道、大堂、電梯

Suitable for laying areas : Hallway, Aisle, Lobby, Elevator



1/ 東湖賓館-門廳處
2/ JW萬豪酒店-門口
3/ 浦東麗思卡爾頓-門外
4/ 上海文華東方酒店-門外

雅致-強力刮沙汲水墊 Atrium Plus

Atrium Plus 雅致由尼龍復合纖維組成，簇絨的織造工藝能強力吸附鞋底污垢，採用Ristron™染色工藝，具有一定的抗紫外線功效，可鋪設在室外，不易褪色。避免鞋底直接接觸地面，減少清潔頻率和地材磨損，節約成本，底部的彈性底具有貼地防滑功效，不易移位，避免滑倒事故發生。適合放置于人流量大的區域，如酒店、商場、大廈、醫院、工廠、辦公室、別墅、公寓門口。

Atrium Plus is made by nylon composite fiber. The tufting pile construction can strongly adsorb any dirt from the sole. Dyeing by "Ristron™" craft, Atrium Plus was not faded easily which is also good for outdoor areas. The elastic backing material is completely nonslip, which helps avoiding accidents. It's suitable for Hotel, shopping center, parliament, hospital, manufactory, office, villa, apartment, and such high traffic areas.

技術參數

毯面纖維：尼龍6.6纖維+特種尼龍硬絲
絨面結構：高强度扭曲并熱壓成形的合成纖維

纖維結構：割絨

總重量：約3.83kg/平方米

覆底：彈性底

厚度：約9mm

卷裝規格：200cm x 1800cm

室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料

色牢度檢測：按GB/T 3921-2008,GB/T 3920-2008,
GB/T 8427-2008檢測依據，耐光照色牢度：大于6級；
耐洗色牢度：4-5級；耐摩擦色牢度：4-5級

TECHNICAL SPECIFICATIONS

Yarn type : Polyamide 6.6 monofilaments&Special nylon wire

Pile construction : High twist and heat set combination of
mono and multi filaments

Pile construction : Tufted cut pile

Total weight : Approx.3.83kg/m²

Backing : The bottom of the elastic

Thickness : Approx.9mm

Roll size : 200cm x 1800cm

Indoor air quality testing : Conform to GB 18401-2010 ,
Doesn't contain formaldehyde and decomposable
carcinogenic aromatic amine dyes

Color fastness test : GB/T 3921-2008,GB/T 3920-2008,
GB/T 8427-2008 , Light fastness : Greater than 6 grade ;

Fastness to washing : 4-5grade ; Friction fastness : 4-5grade



TPATP10

● 黑灰

TPATP20

● 紅色

TPATP30

● 棕色

TPATP70

● 淺灰

適合鋪設區域：門廳、通道、電梯、門外

Suitable for laying areas : Hallway, Aisle, Elevator, Outside



1/ 長沙 梅溪湖-大門外
 2/ 多媒體廣場-移門內
 3/ 海正輝瑞製藥-電梯轎箱內
 4/ 南昌綠地-大門外

雅瑞-強力刮沙除塵墊 Ares Mat

雅瑞是一款強力刮沙除塵吸水地墊，由強力刮沙的單纖維和強力吸水的尼龍纖維交替織成，簇絨織法以及Ristron™印染工藝使得它可以鋪設建築物門外或室內，具有抗紫外綫功效，長期使用仍能保持色澤鮮艷。尤其適合雨雪天氣使用，其尼龍的吸水效果能長久保持地面清潔、幹爽，預防滑到事故發生。

Ares, with its alternative rows of heavy-duty brushing, monofilament and absorbing fibers, it's a unique and highly efficient product for using as a primary matting. Also it's an ideal secondary matting as well due to functionality in absorbing dirt and moisture. Dyeing by "Ristron™" craft, Ares was not faded easily, it retains colorful after long term using. Especially suitable for rainy and snowy day, to keep the floor clean and dry, prevent slipping accident.


技術參數

毯面纖維：尼龍6.6纖維+特種尼龍硬絲
 絨面結構：高強度扭曲并熱壓成形的合成纖維

纖維結構：割絨
 總重量：約3.80kg/平方米
 覆底：彈性底
 厚度：約9mm
 卷裝規格：200cm x 1800cm
 室內空氣質量檢測：符合GB 18401-2010，
 不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type : Polyamide 6.6 monofilaments&Special nylon wire
 Pile construction : High twist and heat set combination of mono and multi filaments
 Pile construction : Tufted cut pile
 Total weight : Approx.3.80kg/m²
 Backing : The bottom of the elastic
 Thickness : Approx.9mm
 Roll size : 200cm x 1800cm
 Indoor air quality testing : Conform to GB 18401-2010 ,
 Doesn't contain formaldehyde and decomposable carcinogenic aromatic amine dyes



TPYR10 TPYR10
 ● 黑灰 ● 紅灰

適合鋪設區域：門廳、通道、電梯、門外
 Suitable for laying areas : Hallway, Aisle, Elevator, Outside



1/ 大上海時代廣場-通道

2/ 蘇大附二院-電梯內

3/ 棕櫚泉萬豪行政公寓-防風門內

4/ 大上海時代廣場-門內臺階

雅典-汲水除塵尼龍墊 Athens Mat

雅典是用戶滿意度極高的產品之一，美觀實用的同時能有效地將灰塵和水漬吸附在地墊上，控制污染物轉移室內。適合出進門使用，為沒有地墊坑位的物業大樓提供方便，卷裝尺寸長度在18米，可將地墊滿鋪在地面上，也可根據要求任意安放、安裝便捷。雅典如配合刮沙類產品使用可加強除污、吸水效果，阻擋80%左右的污染物進入建築物內。

Athens is the perfect entrance matting combination for buildings where there is not mat well, offering maximum flexibility in fitting solutions.


As a secondary matting, Athens is the ideal complement to its functionality in absorbing dirt and moisture. Athens and dust control mat are manufactured in 18 meter long rolls, offering the option between wall to wall fitting or loose-laid on the floor.

技術參數

毯面纖維：100%尼龍纖維
 絨面結構：高強度扭曲熱壓成形的合成纖維大面積植絨
 纖維結構：割絨
 總重量：約3.83kg/平方米
 覆底：彈性底
 厚度：約9mm
 卷裝規格：200cm x 1800cm
 室內空氣質量檢測：符合GB 18401-2010，
 不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type : 100% nylon fiber
 Pile construction : Tufted cut pile in stripes
 Pile construction : Tufted cut pile
 Total weight : Approx.3.83kg/m²
 Backing : The bottom of the elastic
 Thickness : Approx.9mm
 Roll size : 200cm x 1800cm
 Indoor air quality testing : Conform to GB 18401-2010 ,
 Doesn't contain formaldehyde and decomposable
 carcinogenic aromatic amine dyes



TPYD10	TPYD20	TPYD30	TPYD40	TPYD50	TPYD60
● 黑色	● 紅色	● 棕色	● 灰色	● 藍色	● 綠色

適合鋪設區域：門廳、通道、電梯
 Suitable for laying areas : Hallway, Aisle, Elevator



品牌廣告墊 Logo Mat

將地墊和廣告概念結合在一起，這在發達國家已經是一種很常見的形式。Logo地墊不但可以用來除塵去污，而且還可以用來提升企業形象和傳達商業信息。毯面為100%尼龍纖維，吸水、吸塵性能好，耐磨、回彈性高。可以在地墊上實現前所未有的精美印刷效果。高級防滑橡膠覆底技術，腳感舒適、安全防滑。耐溫，抗塵土、油脂污染，耐陽光照射。截絨開放式結構，易于清潔保養。可直接至于工業洗衣機反復洗滌，不變形，不褪色。

Logo Mats with advertising concepts, and it is a very common from in developed countries. Logo and advertising mats can be used not only to removing dust and moisture, but also to enhance the corporate image and communicate business information. 100% nylon fibres, superior water absorption and dust-control, wearable, good resilience. Mats have a pretty face. Super nitrile rubber backing technology, and soft, anti-slip and safety. Withstanding heat and cold, impervious to soiling, sunlight. The open tufting construction allowing easy dirt release for maintenance. Can washing in Industrial laundry Machine. Can repeated washing.

技術參數

毯面材質：100%尼龍纖維
絨面結構：高強度扭曲并熱壓成形的合成纖維

纖維結構：割絨
總厚度：約9mm
總重量：約3.83kg/平方米
覆底材質：彈性底/NBR丁腈橡膠底
室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料

色牢度檢測：按GB/T 3921-2008,GB/T 3920-2008,
GB/T 8427-2008檢測依據，耐光照色牢度：大于6級；
耐洗色牢度：4-5級；耐磨擦色牢度：4-5級

TECHNICAL SPECIFICATIONS

Yarn type : 100% nylon fiber
Pile construction : High twist and heat set combination of
mono and multi filaments

Pile construction : Tufted cut pile
Total thickness : Approx.9mm
Total weight : Approx.3.83kg/m²

Backing : The bottom of the elastic/NBR nitrile rubber
Indoor air quality testing : Conform to GB 18401-2010 ,
Does not contain formaldehyde and decomposable
carcinogenic aromatic amine dyes

Color fastness test : GB/T 3921-2008,GB/T 3920-2008,
GB/T 8427-2008 , Light fastness : Greater than 6 grade ;
Fastness to washing : 4-5grade ; Friction fastness : 4-5grade

單幅畫面可進行十六色輸出，變化豐富，質感絕佳。



適合鋪設區域：門廳、通道、電梯
Suitable for laying areas : Hallway, Aisle, Elevator

- 1/ 半島訂制噴墨墊-門口
- 2/ 浦東機場華美達-大堂
- 3/ 800秀-門內
- 4/ 半島公寓-門口



1/ 中國館-VIP通道
2/ 重慶富力凱悅-通道
3/ 上海花園飯店-門廳
4/ 雲南海埂賓館-VIP樓大堂通道

豪華貴賓墊 Luxor VIP Mat

豪華貴賓地墊特有的皇家紅毯面及橡膠底是用于接待貴賓的最佳地面材料。是爲了高檔場所、四五星級酒店和高級會所而設計的卷裝地墊，可鋪設于大堂和通道等處，亦有單塊可供選擇。此產品不但有效地去污和藏垢，貼地性好，腳感舒適且易于清潔及存放。

VIP Mat is a luxurious textile construction mat designed for buildings where prestige and comfort are valued, such as hotels, casinos, restaurants etc. VIP Mat will not only effectively remove the dirt but also protect and prolong the life of expensive floor coverings.

技術參數

纖維 (中國紅) : 合成纖維
纖維 (皇家紅) : 防靜電尼龍6
底 部: 彈性底
卷裝尺寸 (中國紅) : 200cm × 1800cm
卷裝尺寸 (皇家紅) : 180cm × 2000cm
室內空氣質量檢測: 符合GB 18401-2010,
不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type (VIP) : Synthetic fiber
Yarn type (Luxor) : Antistatic polyamide 6
Backing : Compound rubber
Roll size (VIP) : 200cm × 1800cm
Roll size (Luxor) : 180cm × 2000cm
Indoor air quality testing : Conform to GB 18401-2010,
Doesn't contain formaldehyde and decomposable carcinogenic aromatic amine dyes



TPVP20 TPLX20
● 中國紅 ● 皇家紅

適合鋪設區域: 門廳、通道、大堂
Suitable for laying areas : Hallway, Aisle, Lobby



1/ 南昌力高皇冠-防風門內
2/ 鄭州美豪諾富特-門內
3/ 新天地朗廷-廚房門口
4/ 蘇大附二院-洗手間門口
5/ 上海國際貴都大飯店-門內

神奇墊-強力吸水吸油墊 Magic Mat

神奇墊擁有大自然給予最强的吸濕性能，事實上它在吸收自身重量5倍的水份或油份後，仍保持強力功效。適用於繁忙的工廠、廚房、商業大樓、醫院、商場、公共場所、運動休閒場所、教育設施等。其優勢在於它可以完全機洗，把它鋪放在容易變臟的地方可以體現其獨一無二的效果，您可以在營業結束時把它卷起來，放進洗衣機內清洗，方便下次使用。

Magic Mat is naturally designed with excellent absorption properties. Magic Mats can absorb five times their own weight in moisture and still function effectively. Suited for use in busy industrial buildings, kitchens, hospitals, public buildings, sports & leisure areas as well as educational facilities. With the added advantage of being fully machine washable, it is the ideal solution for both severe wet and dry dust. Magic Mat can be machine washed, vacuumed or extracted and it's ready to for use again.

技術參數

纖維：超強吸水纖維
纖維結構：割絨
纖維重量：約0.99kg/平方米
毯面厚度：約8mm
卷裝尺寸：150cm x 1800cm
(底部：耐油防滑橡膠)
塊裝尺寸：90cm x 150cm/120cm x 180cm
(底部：耐油防滑橡膠+防滑釘)
室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type : High compound synthetic and natural fiber
Pile construction : Tufted cut pile
Pile weight : Approx.0.99kg/m²
Pile height : Approx.8mm
Roll size : 150cm x 1800cm
(Backing : Grease proof synthetic rubber)
Piece size : 90cm x 150cm/120cm x 180cm
(Backing : Grease proof synthetic rubber + Gripper)
Indoor air quality testing : Conform to GB 18401-2010 ,
Doesn't contain formaldehyde and decomposable
carcinogenic aromatic amine dyes



TXMR10 TXMP10 ● 黑灰	TXMR20 TXMP20 ● 黑紅	TXMR31 TXMP31 ● 咖啡	TXMR30 TXMP30 ● 黑棕	TXMR70 TXMP70 ○ 黑白	TXMR50 TXMP50 ● 黑藍	TXMR60 TXMP60 ● 黑綠
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------



橡膠 (釘底)

橡膠 (平底)

適合鋪設區域：門內、廚房、餐廳、傳菜口、茶水間、衛生間
Suitable for laying areas : Inside, Kitchen, Restaurants, Tea room, Washroom



II神奇墊-特效汲水除塵墊 Action Mat

II神奇墊是一款多功能全效地墊，晴雨天都適用。神奇墊II毯面由強力吸水纖維和強力刮沙纖維組成，高效吸污的同時，超强絨毛回彈力能有效去除污垢和灰塵。把它放在多水多油等容易變臟的地方，可體現驚人的效果。亦可置放于建築物門口、通道，能高效去污和藏污。維護簡便，使用一次，您就會感嘆它神奇的效果，更會發現這是一款您夢寐以求的多功能地墊。


Action Mat is a multi-functional mat which can be used in both rainy and sunny days. It is designed with excellent absorption properties and brushing monofilaments, and can effectively absorb moisture and remove dust with its excellent construction. It is not only suitable for the kitchen or food preparation areas, but for entrances and channels. Simple to maintain, once you use Action Mat, you will find it the perfect multi-purpose mat for all needs.

技術參數

纖維：超强吸水纖維
纖維結構：割絨
總重量：約3.83kg/平方米
總厚度：約9mm
覆底材質：彈性底
卷裝尺寸：120cm x 1800cm/200cm x 1800cm
室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type : High compound synthetic and natural fiber
Pile construction : Tufted cut pile
Total weight : Approx.3.83kg/m²
Total height : Approx.9mm
Backing : The bottom of the elastic
Roll size : 120cm x 1800cm/200cm x 1800cm
Indoor air quality testing : Conform to GB 18401-2010 ,
Doesn't contain formaldehyde and decomposable carcinogenic aromatic amine dyes



TXACP10

● 黑灰

TXACP20

● 黑紅

適合鋪設區域：門內、廚房、餐廳、傳菜口、茶水間、衛生間
Suitable for laying areas : Inside, Kitchen, Restaurants, Tea room, Washroom



1/ 西安溫德姆-門內
2/ 上海四季酒店-門口
3/ 上海崇明東灘體育中心-防風門內
4/ 珠海十字門-地下車庫

IIPlus神奇墊-特效刮沙汲水除塵墊 Action Mat Plus

IIPlus神奇墊是一款多功能全效地墊，晴雨天都適用。神奇墊IIPlus毯面由強力吸水纖維和強力刮沙纖維組成，高效吸污的同時，超強絨毛回彈力能有效去除污垢和灰塵。把它放在多水多油等容易變臟的地方，可體現驚人的效果。亦可置放於建築物門口、通道，能高效去污和藏污。維護簡便，使用一次，您就會感嘆它神奇的效果，更會發現這是一款您夢寐以求的多功能地墊。

Action Mat Plus is a multi-functional mat which can be used in both rainy and sunny days. It is designed with excellent absorption properties and brushing monofilaments, and can effectively absorb moisture and remove dust with its excellent construction. It is not only suitable for the kitchen or food preparation areas, but for entrances and channels. Simple to maintain, once you use Action Mat Plus, you will find it the perfect multi-purpose mat for all needs.

技術參數

纖維：超強吸水纖維
纖維結構：割絨
總重量：約3.60kg/平方米
總厚度：約9mm
覆底材質：彈性底
卷裝尺寸：
120cm x 1800cm/200cm x 1800cm
室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癆芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type : High compound synthetic and natural fiber
Pile construction : Tufted cut pile
Total weight : Approx.3.60kg/m²
Total height : Approx.9mm
Backing : Compound rubber
Roll size :
120cm x 1800cm/200cm x 1800cm
Indoor air quality testing : Conform to GB 18401-2010 ,
Doesn't contain formaldehyde and decomposable carcinogenic aromatic amine dyes



TPACP10
● 黑灰

TPACP20
● 黑紅

適合鋪設區域：門內、廚房、餐廳、傳菜口、茶水間、衛生間
Suitable for laying areas : Inside, Kitchen, Restaurants, Tea room, Washroom



1/ 雲南海埂別墅-廚房
 2/ 雲南海埂別墅-衛生間
 3/ 雲南海埂別墅-門內
 4/ 雲南海埂別墅-門內

無邊神奇墊 Magic mats (Home)

無邊神奇墊，這款防滑吸水家用地墊能讓你沐浴後踏上時感到如雲般舒適。由柔軟長絨棉制成的毯面編織的吸水性很強。耐油防滑的橡膠底為你的家庭環境提供額外的安全保護。

Magic mats (Home), the skid-resistant absorbent house mats provide cloud-like softness as you step out of the shower. Crafted from the heavenly soft and substantial long-staple cotton, these cotton home mats are woven to a superbly soft, high pile that is offset by a band of low loops. With the grease proof rubber this home floor mats provide safe to your home environment.

技術參數

毯面纖維：棉+超纖維
 纖維結構：割絨
 底部：橡膠底
 塊裝規格：45 x 67.5cm / 50 x 75cm
 室內空氣質量檢測：符合GB 18401-2010，
 不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type : Special nylon composite fiber
 Pile construction : Tufted cut pile
 Backing : Compound rubber
 Size : 45 x 67.5cm / 50 x 75cm
 Indoor air quality testing : Conform to GB 18401-2010 ,
 Doesn't contain formaldehyde and decomposable
 carcinogenic aromatic amine dyes



TXMP10 ● 黑灰 TXMP20 ● 米棕 TXMP30 ○ 白色

適合鋪設區域：室內、廚房、衛生間
 Suitable for laying areas : Indoor, Kitchen, Washroom



雅福-刮沙除塵墊 Ole Plus

雅福華麗的條紋設計，能有效提升形象。其纖維和硬絲具有較強的刮沙除塵功效，將鞋底的污垢牢牢鎖在地墊根部，預防二次污染，減少灰塵等污染物進入室內，從而實現地面的清潔，減少清潔頻率和運營成本。


Ole matting combines good looks with advanced scraping action, improving your image while protecting your facility. The combination of polypropylene construction and rigid monofilament fibers effectively removes dirt and debris from shoes, minimizing dirt transfer into the facility, and reducing overall cleaning costs and maintenance.

技術參數

毯面纖維：PP纖維+特種硬絲
 絨面結構：高強度扭曲熱壓成形的合成纖維大面積植絨
 纖維結構：割絨
 總重量：約3.80kg/平方米
 覆底：PVC
 厚度：約9mm
 卷裝規格：200cm x 1800cm
 室內空氣質量檢測：符合GB 18401-2010，
 不含甲醛及可分解致癆芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type : PP fiber + special hard wire
 Pile construction : Tufted cut pile in stripes
 Pile construction : Tufted cut pile
 Total weight : Approx.3.80kg/m²
 Backing : PVC
 Thickness : Approx.9mm
 Roll size : 200cm x 1800cm
 Indoor air quality testing : Conform to GB 18401-2010 ,
 Doesn't contain formaldehyde and decomposable carcinogenic aromatic amine dyes



TPYF10
 ● 黑灰

TPYF20
 ● 紅灰

適合鋪設區域：門廳、通道、電梯
 Suitable for laying areas : Hallway, Aisle, Elevator



4000型-通用型條紋地墊 M 4000

4000型地墊是一款通用型地墊，其簡潔的條紋設計美觀大方，具有刮沙控塵，吸水吸油，保護地材，安全防滑的作用。尤其在雨雪天使用，能幫助您維持地面安全潔淨，預防滑倒事故發生。并能減少清潔頻率，降低運營成本，減少因頻繁清潔帶來的環境污染與資源浪費。


M 4000 is a general designed product used for basic floor protection. It is constructed with simple but elegant stripe design. Primarily used for dust control, it protects flooring and provides a safe surface for foot traffic. Ideal for rain and snow, 4000 M helps to maintain clean floors, reducing cleaning costs and the use of unnecessary cleaning resources.

技術參數

毯面纖維：合成纖維
 絨面結構：高強度扭曲熱壓成形的合成纖維大面積植絨
 總重量：約3.80kg/平方米
 覆底：彈性底
 厚度：約8mm
 卷裝規格：120cm x 2500cm/180cm x 2500cm
 室內空氣質量檢測：符合GB 18401-2010，
 不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type : Synthetic fiber
 Pile construction : Tufted cut pile in stripes
 Total weight : Approx.3.80kg/m²
 Backing : Compound rubber
 Thickness : Approx.8mm
 Roll size : 120cm x 2500cm/180cm x 2500cm
 Indoor air quality testing : Conform to GB 18401-2010 ,
 Doesn't contain formaldehyde and decomposable
 carcinogenic aromatic amine dyes



TPM410 ● 灰色 TPM420 ● 紅色

適合鋪設區域：門廳、通道、廚房、茶水間、衛生間、電梯
 Suitable for laying areas : Hallway, Aisle, Kitchen, Tea room, Washroom, Elevator



3000型-除塵防滑墊 Rib Mat 3000

3000型地墊是一款通用型地墊，其簡潔的條紋設計美觀大方，具有控塵吸水、保護地材、安全防滑的作用，尤其在雨雪天氣使用，能幫助您維持地面安全、潔淨，預防滑倒事故發生，並能減少清潔頻率，降低運營成本，減少因頻繁清潔帶來的環境污染和資源浪費。

Mat 3000 is a value priced product used for basic floor protection. It is constructed with a simple but elegant 3-rib design. Primarily used for dust control, it protects flooring and provides a safe surface for foot traffic. Ideal for rain and snow, Mat 3000 helps to maintain clean floors, reducing cleaning costs and the use of unnecessary cleaning resources.

技術參數

毯面纖維：合成纖維
 絨面結構：高強度扭曲熱壓成形的合成纖維大面積植絨
 總重量：約3.80kg/平方米
 覆底：彈性底
 厚度：約8mm
 卷裝規格：120cm x 2500cm/180cm x 2500cm
 室內空氣質量檢測：符合GB 18401-2010，
 不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type : Synthetic fiber
 Pile construction : Tufted cut pile in stripes
 Total weight : Approx.3.80kg/m²
 Backing : Compound rubber
 Thickness : Approx.8mm
 Roll size : 120cm x 2500cm/180cm x 2500cm
 Indoor air quality testing : Conform to GB 18401-2010 ,
 Doesn't contain formaldehyde and decomposable
 carcinogenic aromatic amine dyes



TPLM10

● 灰色

TPLM20

● 紅色

適合鋪設區域：門廳、通道、廚房、茶水間、衛生間、電梯
 Suitable for laying areas : Hallway, Aisle, Kitchen, Tea room, Washroom, Elevator



1/ 上海銀行大廈-餐廳出口
2/ 會議室-門廳
3/ 海口萬豪更衣室-門口
4/ 海口萬豪更衣室-門口

奇潔-強力吸水吸油墊 Clean Best Mat

奇潔能幫助您減少地材磨損、節約運營成本。
黑紅灰條紋組合使奇潔擁有靚麗的外觀，特種合成吸水纖維賦予它強大的吸水吸油功能，開放式的簇絨結構能將灰塵、水份、油份鎖在纖維底部，保持毯面潔淨，從而預防二次污染。搭配適合鋪在門外的Rismat模塊拼裝地墊使用，控塵除污效果達到85%-95%。

Clean best mat can help you reducing the wearing of ground materials and saving the operating costs. The Black, red and grey stripes make Clean best mat nice appearance. Special synthetic absorbent fiber brings it super absorbent functions. With an opening tufting construction, Clean best mat can hold the dusts moisture and oil within the felt, keep the surface clean and prevent the secondary pollution. Using together with Rismat primary matting systems at the outdoor area, it can prevent up to 85%-95% of walked-in dust and grit.

技術參數

毯面纖維：特種合成吸水纖維
底 部：PVC
厚 度：約8mm
卷裝規格：90cm x 1800cm/120cm x 1800cm
室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type : Special synthetic absorbent fiber
Backing : PVC
Thickness : Approx.8mm
Roll size : 90cm x 1800cm/120cm x 1800cm
Indoor air quality testing : Conform to GB 18401-2010 ,
Doesn't contain formaldehyde and decomposable carcinogenic aromatic amine dyes



TPQJR12 ● 黑紅灰

適合鋪設區域：門廳、通道、電梯
Suitable for laying areas : Hallway, Aisle, Elevator



超潔-汲水汲油棉墊 Clean Step Mat

超潔的毯面由棉等多種吸水纖維合成，採用開放式的簇絨結構織造而成，其纖維能最大面積接觸鞋底的污染物，吸收大量水份和油份，防止擴散，並且將污垢藏于纖維根部，使毯面保持潔淨，防止二次污染。清洗數次後，除污功能更佳！


The Clean Step Mat is designed with excellent absorption fiber, can effectively absorb moisture and remove dust with its tufting pile construction. It can touch the soles, absorb large amount of the liquids, prevent the spread of dirt. It works even better after several times of wash.

技術參數

毯面纖維：天然汲水纖維
 絨面結構：高強度扭曲熱壓成型的合成纖維大面積植絨
 底部：彈性底
 厚度：約10mm
 總重量：約2.95kg/平方米
 卷裝規格：120cm x 2500cm/180cm x 2500cm
 室內空氣質量檢測：符合GB 18401-2010，
 不含甲醛及可分解致癆芳香胺染料

TECHNICAL SPECIFICATIONS

Yarn type : Natural Fiber
 Pile construction : Tufted cut pile in stripes
 Backing : Compound rubber
 Thickness : Approx.10mm
 Total weight : Approx.2.95kg/m²
 Roll size : 120cm x 2500cm/180cm x 2500cm
 Indoor air quality testing : Conform to GB 18401-2010 ,
 Doesn't contain formaldehyde and decomposable carcinogenic aromatic amine dyes



TPCJ10 ● 黑灰 TPCJ20 ● 黑紅 TPCJ30 ● 黑棕

適合鋪設區域：門內、廚房、餐廳、傳菜口、茶水間、衛生間
 Suitable for laying areas : Inside, Kitchen, Restaurants, Tea room, Washroom



紓紓墊-抗菌除味墊 Urinal Mat

紓紓墊置放在尿門前方，能有效抗菌、除臭、吸水、防滑，保證地面的清潔。底材為合成防滑耐油橡膠，不僅貼地性良好，更能有效的保護好地材。紓紓墊的四大功效有助於維護廁所內的整潔幹淨，同時也減少了清潔人員的工作量並且降低了清潔成本及滑倒事故的發生。

Bathroom Mat ensures a clean toilet area with anti-bacterial, deodorization, absorbency, and self-dry properties. The grease-proof synthetic rubber backing stays put, more effectively protecting the floor and preventing the spread of moisture. Bathroom Mats contribute keeping the toilet areas clean and tidy, reduce slippery floors, and cut cleaning and janitorial costs.

技術參數

毯 面：抗菌化纖
底 部：合成耐油防滑橡膠
規 格：40cm x 50cm
室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Textile material : Anti-bacterial treated polyester
Backing : Grease proof synthetic rubber
Size : 40cm x 50cm
Indoor air quality testing : Conform to GB 18401-2010 ,
Doesn't contain formaldehyde and decomposable
carcinogenic aromatic amine dyes

具有抗菌、除臭、吸水、防滑四大功效，式樣簡潔、美觀、大方。
Function of anti-bacterial, deodorization, and absorbency properties.



TXSS10 ● 炭黑色	TXSS30 ● 棕色	普通化纖 5-DAYS	抗菌化纖 30-DAYS
-----------------	----------------	----------------	-----------------

霉菌抑制效果的纖維檢測
為達到最佳的抗菌效果及美觀
建議每30天進行更換

適合鋪設區域：衛生間
Suitable for laying areas : Washroom



1/ 漕河涇萬麗-泳池
2/ 漕河涇萬麗-泳池
3/ 東方體育中心-淋浴間
4/ 雲南海埂賓館-泳池

康福-抗菌阻燃防滑地墊 Comfort Tile

特有的高科技設計，安全防滑，保持地面幹淨清爽。其最大的功能在於防滑、阻燃、抗紫外綫以及強效抗菌。模塊型設計不僅易於安裝、移動和清潔，更爲用戶帶來舒適腳感。


With special high tech modular design, they provide safety, anti-slip functions and keep areas clean and dry. The basic functions of it are anti-slip, are fire retardant, and are anti-bacterial. Comfort Tile is not only easy to install and remove, but also very comfortable and easy to clean.

技術參數

材 質：合成PVC
厚 度：約9mm
重 量：約3.6kg/平方米
適用溫度：10℃至60℃
模塊規格：30.5cm x 30.5cm
實用規格：30cm x 30cm
阻燃標準：
GB 8624-2012, GB/T 11785-2005, GB/T 8626-2007, B1級

TECHNICAL SPECIFICATIONS

Material : Synthetic PVC
Thickness : Approx.6mm
Weight : Approx.3.6kg/m²
Temp resistance : 10°C up to +60°C
Tile size : 30.5cm x 30.5cm
Size in use : 30cm x 30cm
Fire resistance :
GB 8624-2012, GB/T 11785-2005, GB/T 8626-2007, B1



MKKF ○ 白色 MKKF ● 藍色 MKKF ● 棕色

適合鋪設區域：衛生間、茶水間、淋浴間、游泳池
Suitable for laying areas : Bathroom, Tea room, Shower rooms, Swimming pools



拼裝特點：子母活扣式拼裝，安裝簡便
邊 框：模塊防踢斜邊設計，安裝簡便



1/ 世茂皇家艾美-泳池
2/ 蘇州大學附屬第二醫院-衛生間
3/ 靜安體育中心-淋浴間
4/ 兒童醫院-餐廳
5/ 黃山太平湖皇冠度假酒店-泳池

康安-阻燃防滑地墊 Comsan Tile

特有的高科技設計，安全防滑，保持地面乾淨清爽。其最大的功能在於防滑、阻燃、抗紫外綫以及強效抗菌。模塊型設計不僅易于安裝、移動和清潔，更爲用戶帶來舒適腳感。


With special high tech modular design, they provide safety, anti-slip functions and keep areas clean and dry. The basic functions of it are anti-slip, are fire retardant, and are anti-bacterial. Comfort Tile is not only easy to install and remove, but also very comfortable and easy to clean.

技術參數

材 質：合成PVC
厚 度：約9mm
重 量：約3.6kg/平方米
適用溫度：10℃至60℃
模塊規格：30.5cm x 30.5cm
實用規格：30cm x 30cm
阻燃標準：
GB 8624-2012, GB/T 11785-2005, GB/T 8626-2007, B1級

TECHNICAL SPECIFICATIONS

Material : Synthetic PVC
Thickness : Approx.6mm
Weight : Approx.3.6kg/m²
Temp resistance : 10°C up to +60°C
Tile size : 30.5cm x 30.5cm
Size in use : 30cm x 30cm
Fire resistance :
GB 8624-2012, GB/T 11785-2005, GB/T 8626-2007, B1



MKKA ● 淺藍 MKKA ● 灰色 MKKA ● 棕色



拼裝特點：子母活扣式拼裝，安裝簡便
邊 框：模塊防踢斜邊設計，安裝簡便

適合鋪設區域：衛生間、茶水間、淋浴間、游泳池
Suitable for laying areas : Bathroom, Tea room, Shower rooms, Swimming pools

特耐-耐重油橡膠防滑墊 Hex Guard

實心橡膠墊的主要功能是防滑、抗疲勞和耐磨。刮條能在工人走動時保持鞋底清潔幹爽，底部吸盤能讓地墊牢牢吸附于濕滑的地面防止移位，配合孔型的設計提高位置，改善排水排污問題避免鞋底與污水直接接觸。斜角邊緣對地面的完美貼合使您的工人擁有更高的安全保障。堅韌却附有彈性的材質可以讓長期處于站立或行走狀態的工人減輕疲勞。適用於商業廚房以及工業區。

Grease resistant, solid rubber compound and beveled edges create a non-trip, non-slip work environment. Open construction allows solids and liquids to pass through, while leaving a clean, dry surface. They are anti-slip, anti-fatigue, wear-resistant, and anti-bacterial. They also provide a comfortable surface to relieve worker fatigue. It is ideal for commercial kitchens, as well as industrial applications.


技術參數

材 質：NBR高級丁腈橡膠
厚 度：14.5mm
重 量：約14.5kg/pc
規 格：3'×5'(90cm×150cm)
室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料


耐油測試：在60°C條件，浸泡在IRM 903油中72小時，
無褪色，無變形

TECHNICAL SPECIFICATIONS

Material : NBR Senior nitrile rubber
Thickness : 14.5mm
Weight : Approx.14.5kg/pc
Size : 3'×5'(90cm×150cm)
Indoor air quality testing : Conform to GB 18401-2010 ,
Does not contain formaldehyde and decomposable
carcinogenic aromatic amine dyes
Oil resistant test : In the condition of 60°C, soaked in IRM903
oil in 72 hours, No fade, no deformation



A-橡膠墊
B-耐重油橡膠墊



實驗前

試驗後



XJASY/XJHG
● 黑色

XJASY/XJHG
● 磚紅色

適合鋪設區域：廚房、車間、操作臺、通道
Suitable for laying areas : Kitchen, Workshop, Work station, Aisle



1/ 雲南温德姆至尊豪廷-厨房通道

2/ 新天地朗廷-厨房

3/ 新天地朗廷-厨房

4/ 貴陽武警中隊二支隊-厨房



1/ 通茂大酒店-厨房
2/ 密底橡膠墊-厨房
3/ 密底橡膠墊-厨房出菜口
4/ 通茂大酒店-厨房

1/4" 橡膠防滑墊 Slip Guard

實心橡膠墊的主要功能是防滑、抗疲勞和耐磨。密底型設計可在拖車頻繁經過的通道使用，保護地材磨損，通行更順暢。斜角邊緣對地面的完美貼合使您的工人擁有更高的安全保障。堅韌却附有彈性的材質可以讓長期處於站立或行走狀態的工人減輕疲勞。適用於商業廚房以及工業區。

Grease resistant, solid rubber compound and beveled edges create a non-trip, non-slip work environment. Open construction allows solids and liquids to pass through, while leaving a clean, dry surface. They are anti-slip, anti-fatigue, wear-resistant, and anti-bacterial. They also provide a comfortable surface to relieve worker fatigue. It is ideal for commercial kitchens, as well as industrial applications.

技術參數

材 質：高分子合成耐油橡膠

厚 度：1/4" (0.64cm)

規 格：3' x 5'(90cm x 150cm)

室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料

耐油測試：在60°C條件，浸泡在IRM 903油中72小時，
無褪色，無變形

TECHNICAL SPECIFICATIONS


Material : High polymer synthetic oil resistant rubber

Thickness : 1/4" (0.64cm)

Size : 3' x 5' (90cm x 150cm)

Indoor air quality testing : Conform to GB 18401-2010 ,
Does not contain formaldehyde and decomposable
carcinogenic aromatic amine dyes

Oil resistant test : In the condition of 60°C, soaked in IRM903
oil in 72 hours, No fade, no deformation



XJASYM10
● 黑色

適合鋪設區域：廚房、車間、重油區、通道
Suitable for laying areas : Kitchen, Workshop, Heavy oil, Aisle



1/ 七彩雲南温德姆至尊豪廷-飲料吧
2/ 新天地朗廷-厨房
3/ 蘇大二院-洗消間
4/ 新天地朗廷-厨房

特豪-橡膠防滑墊 Slip Guard

實心橡膠墊的主要功能是防滑、抗疲勞和耐磨。刮條能在工人走動時保持鞋底清潔幹爽，底部吸盤能讓地墊牢牢吸附于濕滑的地面防止移位，配合孔型的設計提高位置，改善排水排污問題避免鞋底與污水直接接觸。斜角邊緣對地面的完美貼合使您的工人擁有更高的安全保障。堅韌却附有彈性的材質可以讓長期處於站立或行走狀態的工人減輕疲勞。適用於商業廚房以及工業區。

Grease resistant, solid rubber compound and beveled edges create a non-trip, non-slip work environment. Open construction allows solids and liquids to pass through, while leaving a clean, dry surface. They are anti-slip, anti-fatigue, wear-resistant, and anti-bacterial. They also provide a comfortable surface to relieve worker fatigue. It is ideal for commercial kitchens, as well as industrial applications.

技術參數

材 質：實心橡膠
厚 度：1/2" (1.27cm)
規格A：2' x 3'(60cm x 90cm)
規格B：3' x 5'(90cm x 150cm)
阻燃標準：
GB 8624-2012, GB/T 11785-2005, GB/T 8626-2007, B1級
抗溶劑標準：ASTM D412 6a
ASTM D1054-2002 (2007)

TECHNICAL SPECIFICATIONS

Material : Grease proof synthetic rubber
Thickness : 1/2" (1.27cm)
Size A : 2' x 3'(60cm x 90cm)
Size B : 3' x 5'(90cm x 150cm)
Fire resistance :
GB 8624-2012, GB/T 11785-2005, GB/T 8626-2007, B1
Grease Resistance : ASTM D412 6a
ASTM D1054-2002 (2007)



XJTL ● 黑色

適合鋪設區域：廚房、車間、操作臺、通道
Suitable for laying areas : Kitchen, Workshop, Work station, Aisle



1/ 廣州摩恩水暖器材有限公司-操作臺
2/ 海口萬豪-接待臺
3/ 中山國際-前臺
4/ 廣州摩恩水暖器材有限公司-操作臺

抗疲勞墊 Anti-Fatigue Rubber

抗疲勞地墊綜合了各種功能：抗疲勞、高彈性、防震、促進血液循環等，能有效地防止撞擊及致命的傷害，對於工業及惡劣的環境十分耐用。它的底部及表面的形狀是爲了工人長時間站立而設計的，能最大限度地減少腿部由於長時間站立而引起的疲勞和痛苦。

The mat combines several functions; anti-fatigue, high resilience, shock absorbance, and improved circulation. The bottom and surface areas of the anti-fatigue mat are designed for workers to stand comfortably for long periods of time. The mat can minimize the fatigue and pain related to prolonged standing.

技術參數

材 質：橡膠
厚 度：約12.7mm
標準型規格：2'×3'(60cm×90cm)/3'×5'(90cm×150cm)
功能型規格：2'×3'(60cm×90cm)/3'×5'(90cm×150cm)
室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料

耐油測試：在60°C條件，浸泡在IRM 903油中72小時，
無褪色，無變形

TECHNICAL SPECIFICATIONS

Material : Rubber
Weight : Approx.12.7mm
Standard : 2'×3'(60cm×90cm)/3'×5'(90cm×150cm)
Functional : 2'×3'(60cm×90cm)/3'×5'(90cm×150cm)
Indoor air quality testing : Conform to GB 18401-2010 ,
Does not contain formaldehyde and decomposable
carcinogenic aromatic amine dyes
Oil resistant test : In the condition of 60°C, soaked in IRM903
oil in 72 hours, No fade, no deformation



XJAFY/XJAFD
● 黑色

適合鋪設區域：生產流水綫、收銀臺、裝運部門、焊接工地
Suitable for laying areas : Production line, Checkstand, Shipping department, Site welding



1/ 酒店抗疲勞墊-前臺
2/ 毯面抗疲勞墊-廚房
3/ 生產流水綫-毯面抗疲勞墊
4/ 毯面抗疲勞墊-陽臺出入口

毯面抗疲勞墊 Anti-Fatigue Rubber

抗疲勞地墊綜合了各種功能：抗疲勞、高彈性、防震、促進血液循環等，能有效地防止撞擊及致命的傷害，對於工業及惡劣的環境十分耐用。它的底部及表面的形狀是爲了工人長時間站立而設計的，能最大限度地減少腿部由于長時間站立而引起的疲勞和痛苦。


The mat combines several functions; anti-fatigue, high resilience, shock absorbance, and improved circulation. The bottom and surface areas of the anti-fatigue mat are designed for workers to stand comfortably for long periods of time. The mat can minimize the fatigue and pain related to prolonged standing.

技術參數

材 質：滌綸
底 部：橡膠
厚 度：約9.4mm
重 量：約2.4kg/塊
規格：60cm×90cm
室內空氣質量檢測：符合GB 18401-2010，
不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Material : Polyester
Backing : Rubber
Thickness : Approx.9.4mm
Weight : Approx.2.4kg/pc
Size : 60cm×90cm
Indoor air quality testing : Conform to GB 18401-2010 ,
Does not contain formaldehyde and decomposable
carcinogenic aromatic amine dyes



XJAF ● 綠色 XJAF ● 紅色 XJAF ● 棕色

適合鋪設區域：生產流水綫、收銀臺、裝運部門、焊接工地
Suitable for laying areas : Production line, Checkstand, Shipping department, Site welding

抗震墊 Anti-Shock Mat

抗震墊能緩解器材產生的震動，減少噪音污染。高分子合成防油橡膠，可吸收絕大部分震動，保持環境安靜，防止因意外造成的傷害，可緩解強烈的衝擊。它的底部及表面的形狀是為機器長時間運作而設計的，能最大限度的減少由於機器震動而引起的移位及噪音等。

Anti-shock mat can relieve the shock produced by exercise equipment and reduce noise pollution. Grease-proof synthetic rubber can absorb the shock and impact, reduce noise, and prevent damage to people, equipment and flooring. The bottom and surface is designed for prolonged use and absorbs impact and machine vibration.

技術參數

材 質：高分子合成耐油橡膠
 塊裝規格：90cm×300cm/120cm×300cm
 塊裝厚度：約3mm

卷裝規格：122cm×1000cm
 卷裝厚度：約6mm
 室內空氣質量檢測：符合GB 18401-2010，
 不含甲醛及可分解致癌芳香胺染料

TECHNICAL SPECIFICATIONS

Material : High polymer synthetic oil resistant rubber
 Tile size : 90cm×300cm/120cm×300cm
 Tile thickness : Approx.3mm

Roll size : 122cm×1000cm
 Roll thickness : Approx.6mm
 Indoor air quality testing : Conform to GB 18401-2010 ,
 Does not contain formaldehyde and decomposable
 carcinogenic aromatic amine dyes



XJAK/WGKZ
 ● 黑色

適合鋪設區域：健身房、車間、裝運區、通道
 Suitable for laying areas : Gym, Workshop, Loading area, Aisle



1/ 抗震墊-健身房跑步機


2/ 抗震墊-車間

3/ 揚子江精品酒店-健身房-抗震墊



我們可以制作標識墊、鼠標墊、臺墊、杯墊。
您祇需要提供向矢量或高清的圖案、logo、文字、照片等文件。
色彩艷麗，層次分明，個性化圖案設計，使任何信息和精神都可以傳情達意。
具有超强控塵抗菌功能，可重複洗滌，壽命更長久更美觀。

如果您有任何疑問和需要，請隨時與我們聯系。
Please feel free to contact us at anytime for further information.
我們會不斷改進技術。
We strive for excellence.



專業、質量、美觀、安全、舒適
聆聽您的需要，提供細心周到的專業服務

Profession . Quality . Beauty . Safety . Comfort
Listen to your heart, provide outstanding customer service

www.rismat.net